

Dimmer recommendation list



























































































Our dimmer recommendations are non-binding. Both special LED dimmers and dimmers, which are intended for incandescent lamps, high voltage halogen lamps and Tronic transformers with halogen lamps, are tested. With both dimmer versions - mentioned in our list below - perfect results are possible. In the event that you already own a dimmer, we recommend that you test it. System-related problems (current fluctuations, etc.) can have an impact upon the dimmer behaviour and slight humming noises may occur. Please ensure that you read the dimmer operating instructions in all circumstances.



As a result of external influences, it may be the case that a dimmer/LED combination does not function. We therefore make no guarantee or warranty that a specific dimmer/LED light combination will function in all circumstances nor do we assume any liability for damage that may occur as a result.

																	Schweiz			
Art. Nr.	Serie	nicht dimmbar	Dimmer integriert	Casambi optional	ZigBee optional	Gira 030 700	Gira 030 500	Gira 2385 00	Berker 2874	Jung 1224 LED UDE	Jung 225 T DE	Jung 225 NVDE	Busch Jäger 6513 U	Busch Jäger 6523 U-102	VADSBO VD200	Merten MEG5 138-0000	Merten MEG5 136-0000	Feller 40 600 RC	Feller 40 300 RC	
248 903 09	LED's Go 3-flg.			🔴	🚫	X	X	X	X	X	X		X				X			
248 904 09	LED's Go 4-flg.			🔴	🚫	X	X	X	X	X	X		X				X		X	X
248 905 09	LED's Go 5-flg.			🔴	🚫	X	X	X	X	X	X		X				X		X	X
248 906 09	LED's Go 6-flg.			🔴	🚫		X	X		X			X			X		X	X	
273 502 09	Arco	x																		
273 904 09	Arco			🔴		X	X	X	X	X	X		X				X		X	X
273 906 09	Arco			🔴			X	X		X			X			X		X	X	
357 902 09	More		D																	
357 905 09	More		D																	
359 905 09	More		D																	
361 001 09	Frame Einbau					X			X		X	X		X	X	X	X	X	X	X
361 604 09	Frame			🔴	🚫	X			X		X	X		X	X	X	X	X	X	X
361 801 09	Frame			🔴		X			X		X	X		X	X	X	X	X	X	X
361 802 09	Frame			🔴	🚫	X			X		X	X		X	X	X	X	X	X	X
361 804 09	Frame			🔴	🚫	X			X		X	X		X	X	X	X	X	X	X
361 809 09	Frame			🔴	🚫	X			X		X	X		X	X					
363 803 09	Saturn			🔴	🚫		X	X		X							X	X	X	X
364 803 09	Saturn			🔴	🚫		X	X		X							X	X	X	X
365 803 09	Saturn			🔴	🚫		X	X		X							X	X	X	X
367 804 09	Extra			🔴		X	X	X	X	X	X		X				X	X	X	X
367 806 09	Extra			🔴		X	X	X	X	X	X		X			X		X	X	X
385 501 09	Cubus			🔴		X			X		X	X		X	X	X	X	X	X	X
385 801 09	Cubus			🔴		X			X		X	X		X	X	X	X	X	X	X
385 803 09	Cubus			🔴		X			X		X	X		X	X	X	X	X	X	X
385 804 09	Cubus			🔴		X			X		X	X		X	X	X	X	X	X	X
385 805 09	Cubus			🔴		X			X		X	X		X	X	X	X	X	X	X
386 501 ..	Cubus					X			X		X	X		X	X	X	X	X	X	X
386 801 01	Cubus			🔴		X			X		X	X		X	X	X	X	X	X	X
386 801 31	Cubus			🔴		X			X		X	X		X	X	X	X	X	X	X
386 803 09	Cubus			🔴		X			X		X	X		X	X	X	X	X	X	X
386 804 09	Cubus			🔴		X			X		X	X		X	X	X	X	X	X	X
386 805 09	Cubus			🔴		X			X		X	X		X	X	X	X	X	X	X
389 004 09	Line 4-flg. Beweg.					X			X		X			X		X	X	X	X	X
389 501 09	Line Wala 1-flg.					X			X		X			X				X	X	
389 802 09	Line Dela 2-flg.					X			X		X	X	X	X	X	X	X	X	X	X
389 803 09	Line Dela 3-flg.					X			X		X	X	X	X	X	X	X	X	X	X
389 804 09	Line Dela 4-flg.					X			X		X	X	X	X	X	X	X	X	X	X
389 805 09	Line Dela 5-flg.					X			X		X	X	X	X	X	X	X	X	X	X
390 004 09	Line 4-flg. Beweg.					X			X		X			X		X	X	X	X	X
390 501 09	Line Wala 1-flg.					X			X		X			X						
390 802 09	Line Dela 2-flg.					X			X		X			X		X	X	X	X	X
390 803 09	Line Dela 3-flg.					X			X		X			X		X	X	X	X	X
390 804 09	Line Dela 4-flg.					X			X		X			X		X	X	X	X	X
390 805 09	Line Dela 5-flg.					X			X		X			X		X	X	X	X	X
391 901 09	Plus			🔴	🚫			X		X										
391 903 09	PLUS			🔴	🚫	X	X		X	X	X			X						

Art. Nr.	Serie	nicht dimmbar	Dimmer integriert	Casambi optional	ZigBee optional	Gira 030 700	Gira 030 500	Gira 2385 00	Berker 2874	Jung 1224 LED UDE	Jung 225 T DE	Jung 225 NVDE	Busch Jäger 6513 U	Busch Jäger 6523 U-102	VADSBO VD200	Merten MEG5138-0000	Merten MEG5136-0000	Feller 40 600 RC	Feller 40 300 RC
391 906 09*	Plus			▲	▣			X		X									
391 907 09*	Plus			▲	▣			X		X								X	
414 907 09*	LEDs Show			▲	▣			X		X									
415 907 09*	LEDs Show			▲	▣			X		X									
416 801 09	Elle			▲		X	X		X		X		X						
416 802 09	Elle			▲	▣	X	X	X	X	X			X						
416 803 09	Elle			▲	▣	X	X	X	X	X	X		X				X		
416 804 09	Elle			▲	▣	X	X	X	X	X	X		X				X		
417 801 09	Elle			▲		X	X		X		X		X						
417 802 09	Elle			▲	▣	X	X	X	X	X			X						
417 803 09	Elle			▲	▣	X	X	X	X	X	X		X				X		
417 804 09	Elle			▲	▣	X	X	X	X	X	X		X				X		
419 801 09	AT			▲	▣			X		X				X	X			X	X
419 802 09	AT			▲	▣			X		X				X	X			X	X
419 901 09	AT			▲	▣			X		X				X	X			X	X
419 902 09	AT			▲	▣			X		X				X	X			X	X
420 801 09	AT			▲	▣			X		X				X	X			X	X
420 802 09	AT			▲	▣			X		X				X	X			X	X
420 901 09	AT			▲	▣			X		X				X	X			X	X
420 902 09	AT			▲	▣			X		X				X	X			X	X
421 803 09	Convex			▲	▣			X		X									
421 805 09	Convex			▲	▣			X		X			X						
421 903 09	Convex			▲	▣			X		X									
436 601 09	Flat			▲		X			X	X			X	X	X	X	X	X	X
436 801 09	Flat			▲		X			X	X			X	X	X	X	X	X	X
455 600 09	Soft		D																
455 800 09	Soft			▲				X		X						X	X	X	
455 900 09	Soft		D																
456 600 09	Soft																		
456 800 09	Soft			▲				X		X						X	X	X	
456 900 09	Soft		D																
459 901 09	Do		D																
460 901 09	Do		D																
461 004 09	Slight			▲		X			X	X	X		X	X	X	X	X	X	X
461 604 09	Slight			▲		X			X	X	X		X	X	X	X	X	X	X
461 804 09	Slight			▲		X			X	X	X		X	X	X	X	X	X	X
461 806 09	Slight			▲		X			X	X	X		X	X	X	X	X	X	X
462 004 09	Slight			▲		X			X	X	X		X	X	X	X	X	X	X
462 604 09	Slight			▲		X			X	X	X		X	X	X	X	X	X	X
462 804 09	Slight			▲		X			X	X	X		X	X	X	X	X	X	X
462 806 09	Slight			▲		X			X	X	X		X	X	X	X	X	X	X
463 004 09	Slight			▲		X			X	X	X		X	X	X	X	X	X	X
463 604 09	Slight			▲		X			X	X	X		X	X	X	X	X	X	X
463 804 09	Slight			▲		X			X	X	X		X	X	X	X	X	X	X
463 806 09	Slight			▲		X			X	X	X		X	X	X	X	X	X	X
467 800 09	Flair			▲	▣	X		X	X	X		X					X	X	X
467 900 09	Flair			▲	▣	X		X	X	X		X					X	X	X
468 800 09	Flair			▲	▣	X		X	X	X		X					X	X	X
468 900 09	Flair			▲	▣	X		X	X	X		X					X	X	X
490 600 09	Flow		D																
490 800 09	Flow			▲	▣			X		X			X					X	X
491 600 09	Flow		D																
491 800 09	Flow			▲	▣			X		X			X					X	X
492 906 09	Lines		D																
493 906 09	Lines		D																
496 901 09	Link			▲	▣			X		X			X	X				X	X

Art. Nr.	Serie	nicht dimmbar	Dimmer integriert	Casambi optional	ZigBee optional	Gira 030 700	Gira 030 500	Gira 2385 00	Berker 2874	Jung 1224 LED UDE	Jung 225 T DE	Jung 225 NVDE	Busch Jäger 6513 U	Busch Jäger 6523 U-102	VADSBO VD200	Merten MEG5138-0000	Merten MEG5136-0000	Feller 40 600 RC	Feller 40 300 RC
497 901 09	Link			☑	☑			X		X				X	X			X	X
498 901 09	Link			☑	☑			X		X				X	X			X	X
600 801 09	Flash					X			X		X			X		X		X	X
600 802 09	Flash			☑	☑	X			X		X	X		X		X		X	X
600 803 09	Flash			☑	☑	X			X		X	X		X		X		X	X
600 804 09	Flash			☑	☑	X			X		X	X		X		X		X	X
601 801 09	Flash					X			X		X			X		X		X	X
601 802 09	Flash			☑	☑	X			X		X	X		X		X		X	X
601 803 09	Flash			☑	☑	X			X		X	X		X		X		X	X
601 804 09	Flash			☑	☑	X			X		X	X		X		X		X	X
602 905 09	Easy			☑	☑	X			X		X	X		X	X	X		X	X
603 905 09	Easy			☑	☑	X			X		X	X		X	X	X		X	X
604 801 09	Lamina					X			X		X	X		X	X	X	X	X	X
604 802 09	Lamina			☑	☑	X			X		X	X		X	X	X	X	X	X
604 803 09	Lamina			☑	☑	X			X		X	X		X	X	X	X	X	X
604 804 09	Lamina			☑	☑	X			X		X	X		X	X	X	X	X	X
605 801 09	Lamina					X			X		X	X		X	X	X	X	X	X
605 802 09	Lamina			☑	☑	X			X		X	X		X	X	X	X	X	X
605 803 09	Lamina			☑	☑	X			X		X	X		X	X	X	X	X	X
605 804 09	Lamina			☑	☑	X			X		X	X		X	X	X	X	X	X
606 604 09	Centro			☑	☑			X		X		X		X	X			X	X
606 803 09	Centro			☑	☑			X		X		X		X	X			X	X
606 804 09	Centro			☑	☑			X		X		X		X	X			X	X
606 805 09	Centro			☑	☑			X		X		X		X	X			X	X
607 604 09	Centro			☑	☑			X		X		X		X	X			X	X
607 803 09	Centro			☑	☑			X		X		X		X	X			X	X
607 804 09	Centro			☑	☑			X		X		X		X	X			X	X
607 805 09	Centro			☑	☑			X		X		X		X	X			X	X
613 501 09	Cubus Eiche					X			X		X	X		X	X	X	X	X	X
613 801 09	Cubus Eiche			☑		X			X		X	X		X	X	X	X	X	X
613 803 09	Cubus Eiche			☑		X			X		X	X		X	X	X	X	X	X
613 804 09	Cubus Eiche			☑		X			X		X	X		X	X	X	X	X	X
613 805 09	Cubus Eiche			☑		X			X		X	X		X	X	X	X	X	X
634 803 09	SESSION			☑	☑	X			X		X	X	X	X	X	X	X	X	X
634 804 09	SESSION			☑	☑	X			X		X	X	X	X	X	X	X	X	X
634 806 09	SESSION			☑	☑	X			X		X	X	X	X	X	X	X	X	X
635 802 09	LESS			☑	☑			X		X				X	X	X	X	X	X
635 804 09	LESS			☑	☑	X		X	X	X				X	X	X	X	X	X
636 802 09	LESS			☑	☑			X		X				X	X	X	X	X	X
636 804 09	LESS			☑	☑	X		X	X	X				X	X	X	X	X	X
637 802 09	LESS			☑	☑			X		X				X	X	X	X	X	X
637 804 09	LESS			☑	☑	X		X	X	X				X	X	X	X	X	X
638 603 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X
638 801 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X
638 802 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X
638 804 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X
639 603 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X
639 801 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X
639 802 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X
639 804 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X
640 603 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X
640 801 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X
640 802 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X
640 804 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X
641 603 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X
641 801 09	PIXEL 2.0			☑		X			X		X	X		X	X	X	X	X	X

Art. Nr.	Serie	nicht dimmbar	Dimmer integriert	 Casambi optional	 ZigBee optional	Gira 030 700	Gira 030 500	Gira 2385 00	Berker 2874	Jung 1224 LED UDE	Jung 225 T DE	Jung 225 NVDE	Busch Jäger 6513 U	Busch Jäger 6523 U-102	VADSBO VD200	Merten MEG5138-0000	Merten MEG5136-0000	Feller 40 600 RC	Feller 40 300 RC
641 802 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
641 804 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
643 603 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
643 801 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
643 802 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
643 804 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
644 603 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
644 801 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
644 802 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
644 804 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
645 603 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
645 801 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
645 802 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
645 804 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
646 603 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
646 801 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
646 802 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
646 804 09	PIXEL 2.0					X			X		X	X		X	X	X	X	X	X
647 001 09	ONE					X			X		X	X		X	X	X	X	X	X
647 801 09	ONE					X			X		X	X		X	X	X	X	X	X
648 001 09	ONE					X			X		X	X		X	X	X	X	X	X
648 801 09	ONE					X			X		X	X		X	X	X	X	X	X
650 600 09	BREAK							X		X				X	X	X	X	X	X
650 900 09	BREAK							X		X				X	X	X	X	X	X
652 600 09	BREAK							X		X				X	X	X	X	X	X
652 900 09	BREAK							X		X				X	X	X	X	X	X
653 600 09	BREAK							X		X				X	X	X	X	X	X
653 900 09	BREAK							X		X				X	X	X	X	X	X
654 600 09	BREAK							X		X				X	X	X	X	X	X
654 900 09	BREAK							X		X				X	X	X	X	X	X
655 801 09	EXO	X																	
655 802 09	EXO					X	X	X	X	X	X		X		X		X	X	X
655 803 09	EXO					X	X	X	X	X	X		X	X	X	X	X	X	X
655 804 09	EXO					X	X	X	X	X	X		X	X	X	X	X	X	X
656 801 09	EXO	X																	
656 802 09	EXO					X	X	X	X	X	X		X		X		X	X	X
656 803 09	EXO					X	X	X	X	X	X		X	X	X	X	X	X	X
656 804 09	EXO					X	X	X	X	X	X		X	X	X	X	X	X	X
660 602 00	NANO		D																
660 902 00	NANO		D																
662 602 00	NANO		D																
662 902 00	NANO		D																
665 602 00	NANO		D																
665 902 00	NANO		D																
808 603 09	BOX BASIC					X	X		X		X	X	X	X	X	X	X	X	X
808 803 09	BOX BASIC					X	X		X		X	X	X	X	X	X	X	X	X
809 603 00	BOX COMFORT					X			X		X		X	X	X		X	X	X
809 803 00	BOX COMFORT					X			X		X		X	X	X		X	X	X
810 603 00	BOX COMFORT					X			X		X		X	X	X		X	X	X
810 803 00	BOX COMFORT					X			X		X		X	X	X		X	X	X
811 603 00	BOX COMFORT					X			X		X		X	X	X		X	X	X
811 803 00	BOX COMFORT					X			X		X		X	X	X		X	X	X
812 603 00	BOX COMFORT					X			X		X		X	X	X		X	X	X
812 803 00	BOX COMFORT					X			X		X		X	X	X		X	X	X
813 603 00	BOX COMFORT					X			X		X		X	X	X		X	X	X
813 803 00	BOX COMFORT					X			X		X		X	X	X		X	X	X

Art. Nr.	Serie	nicht dimmbar	Dimmer integriert	 Casambi optional	 ZigBee optional	Gira 030 700	Gira 030 500	Gira 2385 00	Berker 2874	Jung 1224 LED UDE	Jung 225 T DE	Jung 225 NVDE	Busch Jäger 6513 U	Busch Jäger 6523 U-102	VADSBO VD200	Merten MEG5138-0000	Merten MEG5136-0000	Feller 40 600 RC	Feller 40 300 RC
----------	-------	---------------	-------------------	--	---	--------------	--------------	--------------	-------------	-------------------	---------------	---------------	--------------------	------------------------	--------------	---------------------	---------------------	------------------	------------------



If you want more than to just control your lighting, there is a very good Smart Home solution available that is based on the ZigBee radio standard. ZigBee is hereby deemed to be the most important standard and provides a wireless communication between a Smart Media device and the existing home technology. For lights marked with this symbol a ZigBee module can be ordered optionally as accessory. With an installed ZigBee module, it is possible to control the lighting by voice control without difficulty. The following are just some of the systems that are supported: Philips Hue, Amazon Alexa, Google Home, Apple HomeKit.

Further information here.....



For lights marked with this symbol a dimmer (Casambi module) can be ordered optionally as accessory which permits the light to be dimmed via the normal switch and/or via an App (Casambi) by means of smartphone or tablet.

Further information here.....



Depending on the actual installation environment, slight flickering may occur when dimming with the Casambi /Zigbee module in the lowest brightness range. As with the classic flushmounted dimmers, you should in such case increase the brightness manually.

- * Lights with switch module can be equipped with a dimmer (Casambi/ZigBee module) and can be dimmed via smartphone or tablet. Dimming via the normal light switch is not possible.

D Depending on the lighting product the integrated dimmer can be operated via a button or touch sensor.

Februar 2019